

| ID | Sex | Age group | <i>H. pylori</i> | Type | Gastrointestinal disease |
|----|-----|-----------|------------------|------|--------------------------|
| 1  | m   | 75-79     | negative         | FFPE | no                       |
| 2  | m   | 65-69     | negative         | FFPE | no                       |
| 3  | f   | 65-69     | negative         | FFPE | Vit B12 anaemia          |
| 4  | f   | 50-54     | negative         | FFPE | no                       |
| 5  | m   | 30-34     | negative         | FFPE | no                       |
| 6  | m   | 15-19     | negative         | FFPE | Crohn's disease          |
| 7  | m   | 10-14     | negative         | FFPE | small duodenal erosion   |
| 8  | f   | 65-69     | negative         | FFPE | no                       |
| 9  | m   | 10-19     | negative         | FFPE | Crohn's disease          |
| 10 | m   | 30-34     | negative         | FFPE | Crohn's disease          |
| 11 | f   | 50-54     | negative         | FFPE | no                       |
| 12 | f   | 50-54     | negative         | FFPE | no                       |
| 13 | f   | 50-54     | negative         | FFPE | no                       |
| 14 | f   | 25-29     | negative         | FFPE | no                       |
| 15 | m   | 30-34     | negative         | FFPE | no                       |
| 16 | f   | 30-34     | negative         | FFPE | no                       |
| 17 | m   | 45-49     | negative         | FFPE | no                       |
| 18 | m   | 75-79     | negative         | FFPE | Rectum carcinoma         |
| 19 | f   | 30-34     | negative         | FFPE | no                       |
| 20 | f   | 20-24     | negative         | FFPE | no                       |
| 21 | m   | 30-34     | negative         | FFPE | no                       |
| 22 | m   | 80-84     | negative         | FFPE | Sigma carcinoma 2006     |
| 23 | f   | 35-39     | negative         | FFPE | no                       |
| 24 | f   | 50-54     | negative         | FFPE | Collagenous colitis      |
| 25 | f   | 5-9       | negative         | FFPE | no                       |
| 26 | f   | 80-84     | negative         | FFPE | no                       |
| 27 | m   | 65-69     | negative         | FFPE | no                       |
| 28 | f   | 55-59     | negative         | FFPE | no                       |
| 29 | f   | 65-69     | negative         | FFPE | no                       |
| 30 | m   | 65-69     | negative         | FFPE | no                       |
| 31 | f   | 60-64     | negative         | FFPE | no                       |
| 32 | m   | 35-39     | negative         | FFPE | Barrett                  |
| 33 | f   | 25-29     | negative         | FFPE | no                       |
| 34 | m   | 35-39     | negative         | FFPE | no                       |
| 35 | f   | 70-74     | negative         | FFPE | no                       |
| 36 | m   | 20-24     | negative         | FFPE | no                       |
| 37 | f   | 60-64     | negative         | FFPE | no                       |
| 38 | m   | 60-64     | negative         | FFPE | no                       |
| 39 | m   | 45-49     | negative         | FFPE | Crohn's disease          |
| 40 | m   | 75-79     | negative         | FFPE | Colon adenomas, Barrett  |
| 41 | f   | 80-84     | negative         | FFPE | Colon adenomas           |
| 42 | f   | 50-54     | negative         | FFPE | no                       |
| 43 | f   | 25-29     | negative         | FFPE | no                       |
| 44 | f   | 60-64     | negative         | FFPE | no                       |

| ID | Sex | Age group | <i>H. pylori</i> | Type              | Gastrointestinal disease   |
|----|-----|-----------|------------------|-------------------|----------------------------|
| 45 | m   | 75-79     | negative         | FFPE              | Colon adenomas             |
| 46 | m   | 75-79     | negative         | FFPE              | Colon adenomas             |
| 47 | f   | 50-54     | negative         | FFPE              | no                         |
| 48 | f   | 80-84     | positive         | FFPE              | Ulcer                      |
| 49 | m   | 55-59     | positive         | FFPE              | no                         |
| 50 | f   | 70-74     | positive         | FFPE              | no                         |
| 51 | f   | 25-29     | positive         | FFPE              | no                         |
| 52 | f   | 55-59     | positive         | FFPE              | Infectious colitis         |
| 53 | m   | 65-69     | positive         | FFPE              | HGD in Sigmoid             |
| 54 | m   | 35-39     | positive         | FFPE              | Crohn's disease            |
| 55 | m   | 60-64     | positive         | FFPE              | no                         |
| 56 | f   | 50-54     | positive         | FFPE              | Crohn's disease            |
| 57 | f   | 70-74     | positive         | FFPE              | no                         |
| 58 | f   | 70-74     | positive         | FFPE              | Malt lymphoma rectum       |
| 59 | m   | 50-54     | positive         | FFPE              | no                         |
| 60 | m   | 55-59     | positive         | FFPE              | no                         |
| 61 | m   | 75-79     | positive         | FFPE              | Colon adenomas             |
| 62 | m   | 45-49     | positive         | FFPE              | no                         |
| 63 | m   | 70-74     | positive         | FFPE              | Colon adenomas             |
| 64 | f   | 30-34     | positive         | FFPE              | no                         |
| 65 | f   | 20-24     | positive         | FFPE              | no                         |
| 66 | m   | 35-39     | positive         | FFPE              | CMV colitis                |
| 67 | f   | 60-64     | positive         | FFPE              | Cajal cell hypoplasia      |
| 68 | m   | 50-54     | negative         | Endoscopic Biopsy | Carcinoma undifferentiated |
| 69 | m   | 75-79     | negative         | Endoscopic Biopsy | no                         |
| 70 | m   | 70-74     | negative         | Endoscopic Biopsy | no                         |
| 71 | m   | 80-84     | negative         | Endoscopic Biopsy | no                         |
| 72 | m   | 70-74     | negative         | Endoscopic Biopsy | no                         |
| 73 | f   | 55-59     | negative         | Endoscopic Biopsy | no                         |
| 74 | f   | 60-64     | negative         | Endoscopic Biopsy | no                         |
| 75 | f   | 70-74     | negative         | Endoscopic Biopsy | no                         |
| 76 | f   | 75-79     | negative         | Endoscopic Biopsy | no                         |
| 77 | f   | 70-74     | negative         | Endoscopic Biopsy | no                         |
| 78 | f   | 25-29     | negative         | Endoscopic Biopsy | no                         |
| 79 | f   | 70-74     | negative         | Endoscopic Biopsy | no                         |
| 80 | f   | 75-79     | negative         | Endoscopic Biopsy | no                         |
| 81 | m   | 75-79     | negative         | Endoscopic Biopsy | no                         |
| 82 | f   | 60-64     | negative         | Endoscopic Biopsy | no                         |
| 83 | m   | 55-59     | negative         | Endoscopic Biopsy | no                         |
| 84 | m   | 75-79     | negative         | Endoscopic Biopsy | no                         |
| 85 | f   | 75-79     | negative         | Endoscopic Biopsy | no                         |
| 86 | f   | 70-74     | negative         | Endoscopic Biopsy | no                         |
| 87 | m   | 20-24     | negative         | Endoscopic Biopsy | no                         |
| 88 | f   | 40-44     | negative         | Endoscopic Biopsy | no                         |

| ID  | Sex | Age group | <i>H. pylori</i> | Type              | Gastrointestinal disease |
|-----|-----|-----------|------------------|-------------------|--------------------------|
| 89  | m   | 45-49     | negative         | Endoscopic Biopsy | no                       |
| 90  | m   | 20-24     | negative         | Endoscopic Biopsy | no                       |
| 91  | f   | 75-79     | negative         | Endoscopic Biopsy | no                       |
| 92  | f   | 70-74     | negative         | Endoscopic Biopsy | no                       |
| 93  | f   | 55-59     | negative         | Endoscopic Biopsy | Crohn's disease          |
| 94  | f   | 80-84     | negative         | Endoscopic Biopsy | no                       |
| 95  | m   | 50-54     | negative         | Endoscopic Biopsy | no                       |
| 96  | m   | 55-59     | negative         | Endoscopic Biopsy | no                       |
| 97  | f   | 40-44     | negative         | Endoscopic Biopsy | no                       |
| 98  | m   | 30-34     | negative         | Endoscopic Biopsy | no                       |
| 99  | f   | 65-69     | negative         | Endoscopic Biopsy | no                       |
| 100 | m   | 80-84     | negative         | Endoscopic Biopsy | no                       |
| 101 | m   | 50-54     | negative         | Endoscopic Biopsy | no                       |
| 102 | m   | 65-69     | negative         | Endoscopic Biopsy | no                       |
| 103 | m   | 75-79     | negative         | Endoscopic Biopsy | no                       |
| 104 | m   | 55-59     | negative         | Endoscopic Biopsy | no                       |
| 105 | f   | 20-24     | negative         | Endoscopic Biopsy | no                       |
| 106 | m   | 40-44     | negative         | Endoscopic Biopsy | no                       |
| 107 | m   | 65-69     | negative         | Endoscopic Biopsy | no                       |
| 108 | f   | 35-39     | negative         | Endoscopic Biopsy | no                       |
| 109 | f   | 35-39     | negative         | Endoscopic Biopsy | no                       |
| 110 | f   | 60-64     | negative         | Endoscopic Biopsy | no                       |
| 111 | f   | 25-29     | negative         | Endoscopic Biopsy | no                       |
| 112 | f   | 25-29     | negative         | Endoscopic Biopsy | no                       |
| 113 | m   | 50-54     | negative         | Endoscopic Biopsy | no                       |
| 114 | m   | 55-59     | negative         | Endoscopic Biopsy | no                       |
| 115 | m   | 40-44     | negative         | Endoscopic Biopsy | Ulcerative colitis       |
| 116 | f   | 40-44     | negative         | Endoscopic Biopsy | no                       |
| 117 | f   | 60-64     | negative         | Endoscopic Biopsy | no                       |
| 118 | m   | 75-79     | negative         | Endoscopic Biopsy | no                       |
| 119 | m   | 65-69     | negative         | Endoscopic Biopsy | no                       |
| 120 | f   | 30-34     | negative         | Endoscopic Biopsy | no                       |
| 121 | f   | 70-74     | negative         | Endoscopic Biopsy | no                       |
| 122 | f   | 40-44     | negative         | Endoscopic Biopsy | Crohn's disease          |
| 123 | m   | 25-29     | negative         | Endoscopic Biopsy | no                       |
| 124 | m   | 70-74     | negative         | Endoscopic Biopsy | no                       |
| 125 | m   | 70-74     | negative         | Endoscopic Biopsy | no                       |
| 126 | f   | 30-34     | negative         | Endoscopic Biopsy | Ulcerative colitis       |
| 127 | m   | 60-64     | negative         | Endoscopic Biopsy | no                       |
| 128 | f   | 55-59     | negative         | Endoscopic Biopsy | no                       |
| 129 | f   | 25-29     | negative         | Endoscopic Biopsy | no                       |
| 130 | m   | 55-59     | negative         | Endoscopic Biopsy | no                       |
| 131 | f   | 60-64     | positive         | Endoscopic Biopsy | no                       |
| 132 | f   | 50-54     | positive         | Endoscopic Biopsy | no                       |

| ID  | Sex | Age group | <i>H. pylori</i> | Type              | Gastrointestinal disease |
|-----|-----|-----------|------------------|-------------------|--------------------------|
| 133 | f   | 60-64     | positive         | Endoscopic Biopsy | no                       |
| 134 | f   | 75-79     | positive         | Endoscopic Biopsy | Crohn's disease          |
| 135 | m   | 40-44     | positive         | Endoscopic Biopsy | no                       |
| 136 | f   | 75-79     | positive         | Endoscopic Biopsy | no                       |
| 137 | m   | 65-69     | positive         | Endoscopic Biopsy | no                       |
| 138 | f   | 75-79     | positive         | Endoscopic Biopsy | no                       |
| 139 | m   | 55-59     | positive         | Endoscopic Biopsy | no                       |
| 140 | m   | 50-54     | positive         | Endoscopic Biopsy | Ulcerative colitis       |
| 141 | f   | 55-59     | positive         | Endoscopic Biopsy | no                       |
| 142 | m   | 80-84     | positive         | Endoscopic Biopsy | no                       |
| 143 | m   | 60-64     | positive         | Endoscopic Biopsy | no                       |
| 144 | m   | 30-34     | positive         | Endoscopic Biopsy | no                       |
| 145 | f   | 40-44     | positive         | Endoscopic Biopsy | Crohn's disease          |
| 146 | m   | 35-39     | positive         | Endoscopic Biopsy | no                       |
| 147 | m   | 70-74     | positive         | Endoscopic Biopsy | no                       |
| 148 | m   | 55-59     | positive         | Endoscopic Biopsy | no                       |
| 149 | m   | 55-59     | positive         | Endoscopic Biopsy | no                       |
| 150 | m   | 35-39     | positive         | Endoscopic Biopsy | Crohn's disease          |
| 151 | m   | 65-69     | positive         | Endoscopic Biopsy | no                       |
| 152 | m   | 65-69     | positive         | Endoscopic Biopsy | no                       |
| 153 | f   | 65-69     | positive         | Endoscopic Biopsy | no                       |
| 154 | m   | 20-24     | positive         | Endoscopic Biopsy | no                       |